ANBCA2

ANALYTICAL BIOCHEMISTRY

An International Journal of
Methods in the Biological Sciences

EDITOR-IN-CHIEF

William B. Jakoby

EXECUTIVE EDITORS

Assistant to the Editor-in-Chief, William S. Allison

John N. Abelson	Othmar Gabriel	Sherie L. Morrison
Shelby L. Berger	William F. Harrington	Richard N. Perham
Ludwig Brand	Tony E. Hugli	James F. Riordan
Peter Brodelius	Richard D. Klausner	Enrique Rozengurt
Wybren de Jong	John H. Law	J. Edwin Seegmiller
Marlene DeLuca	Y. C. Lee	Clarence H. Suelter
Jack E. Dixon	Walter M. Lovenberg	Bert L. Vallee
Theodore Friedmann	William D. McElroy	Helen Van Vunakis

Alvin Nason, Founding Editor, 1960–1977
Nathan O. Kaplan and William D. McElroy,
Editorial Committee Co-Chairmen, 1978–1986

Volume 167, 1987

ACADEMIC PRESS, INC.

Harcourt Brace Jovanovich, Publishers

San Diego New York Boston
London Sydney Tokyo Toronto

Copyright © 1987 by Academic Press, Inc.

All Rights Reserved

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per copy fee through the Copyright Clearance Center, Inc. (27 Congress Street, Salem, Massachusetts 01970), for copying beyond that permitted by Sections 107 or 108 of the U. S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Copy fees for pre-1987 articles are as shown on the article title pages; if no fee code appears on the title page, the copy fee is the same as for current articles.

0003-2697/87 $3.00

MADE IN THE UNITED STATES OF AMERICA

CONTENTS OF VOLUME 167

NUMBER 1, NOVEMBER 15, 1987

Review. The Isolated Perfused Rat Liver: Preparation and Application *Allan W. Wolkoff, Kirsten L. Johansen, and Tobias Goeser* 1

Inverse Diffusion Methods for Data Peak Separation *R. Crandall, M. McClellan, S. Arch, J. Doenias, and R. Piper* 15

Protein Kinase Assay by Paper–Trichloroacetic Acid Method: High Performance Using Phosphocellulose Paper and Washing an Ensemble of Samples on Flat Sheets *Dinkar Sahal and Yoko Fujita-Yamaguchi* 23

High-Performance Liquid Chromatography Analysis of 1-Aminocyclopropane-1-carboxylic Acid Using *o*-Phthaldialdehyde Precolumn Derivatization *Dean F. Bushey, David M. Law, and Peter J. Davies* 31

Modifications and Additions to the ISO–DALT System for Two-Dimensional Gel Electrophoresis *Bruce E. Rademacher and William J. Steele* 37

Hydrochloric Acid Hydrolysis of Proteins and Determination of Tryptophan by Reversed-Phase High-Performance Liquid Chromatography *L. T. Ng, A. Pascaud, and M. Pascaud* 47

Native Blot and Immunotransfer of Human Prostatic Acid Phosphatase Isozymes *Donald O. Mack, Vicki L. Reed, and Larry D. Smith* 53

Lectin Affinity High-Performance Liquid Chromatography: Interactions of *N*-Glycanase-Released Oligosaccharides with Leukoagglutinating Phytohemagglutinin, Concanavalin A, *Datura stramonium* Agglutinin, and *Vicia villosa* Agglutinin *Eric D. Green, Robbin M. Brodbeck, and Jacques U. Baenziger* 62

Variable Selection Method Improves the Prediction of Protein Secondary Structure from Circular Dichroism Spectra *Parthasarathy Manavalan and W. Curtis Johnson, Jr.* 76

A Silver-Binding Assay for Measuring Nanogram Amounts of Protein in Solution *Gerald Krystal* 86

Enzyme-Linked Coagulation Assay. IV. Sensitive Sandwich Enzyme-Linked Immunosorbent Assays Using Russell's Viper Venom Factor X Activator–Antibody Conjugates *George J. Doellgast* 97

Direct Measurements of Cell Number Using Computer-Aided Video Microscopy *Michael S. Simonson and Michael J. Dunn* 106

The Growth of Ordered Two-Dimensional Sheets of Ribosomal Particles from Salt–Alcohol Mixtures *T. Arad, J. Piefke, H. S. Gewitz, B. Romberg, C. Glotz, J. Müssig, A. Yonath, and H. G. Wittmann* 113

Evaluation of Changes in Cytoplasmic pH in Thrombin-Stimulated Human Platelets *Theresa A. Davies, Judith M. Dunn, and Elizabeth R. Simons* 118

A Modified Spectrofluorometric Assay for DNA Using Adriamycin *D. G. Kennedy, J. Nelson, H. W. van den Berg, and R. F. Murphy* 124

Western Blot Detection of Epidermal Growth Factor Receptor from Plasmalemma of Culture Cells Using ^{125}I-Labeled Epidermal Growth Factor *Peter H. Lin, Richard Selinfreund, and Walker Wharton* 128

Mapping and Analysis of Protein Sulfhydryl Groups by Modification with 2-Bromoacetamido-4-nitrophenol *Joseph Andrew Gardner and Kathleen Shive Matthews* 140

A Hydrolytic Procedure Giving Reproducible Analytical Conditions *E. Tarelli* 145

A Preparative Method for the Enzymatic 5'-Monophosphorylation of Nucleosides
David J. Merkler and Vern L. Schramm 148
Fluorescence Method for the Structural Analysis of Oligomannose-Type Sugar Chains by Partial Acetolysis *Shunji Natsuka, Sumihiro Hase, and Tokuji Ikenaka* 154
Isolation of Adenosine Diphosphoribosyltransferase by Precipitation with Reactive Red 120 Combined with Affinity Chromatography
Kalman G. Buki, Eva Kirsten, and Ernest Kun 160
A Minicolumn Apparatus for Androgen-Binding Protein Measurement
Pierre Barbey, Sabine Fradin, Serge Carreau, and Michel A. Drosdowsky 167
Stable Isotope Dilution Assay for Prostaglandin E Metabolite: 24-Hour Urinary Output in Healthy Male Subjects
Aldo Ferretti, Vincent P. Flanagan, and Valerie B. Reeves 174
A Very Fast Ion-Pair Reversed-Phase HPLC Method for the Separation of the Most Significant Nucleotides and their Degradation Products in Human Red Blood Cells *Vilberto Stocchi, Luigi Cucchiarini, Franco Canestrari, M. Piera Piacentini,and Giorgio Fornaini* 181
A High-Performance Liquid Chromatography Assay for Measuring Integrated Biphenyl Metabolism by Intact Cells: Its Use with Rat Liver and Human Liver and Kidney *Garth Powis, David J. Moore, Tracy J. Wilke, and Kenneth S. Santone* 191
A Reversed-Phase High-Performance Liquid Chromatographic Method for Characterization of Biosynthetic Human Growth Hormone
R. M. Riggin, G. K. Dorulla, and D. J. Miner 199

BOOK REVIEWS

Methods of Protein Sequence Analysis, Edited by K. A. Walsh
Reviewed by *Albert Light* 210
Biochemical Toxicology: A Practical Approach, Edited by K. Snell and B. Mullock
Reviewed by *Ernest Hodgson* 210

NUMBER 2, DECEMBER 1987

Determination of Monoenoic Fatty Acid Double Bond Position by Permanganate–Periodate Oxidation Followed by High-Performance Liquid Chromatography of Carboxylic Acid Phenacyl Esters
Kenneth J. Longmuir, Mary E. Rossi, and Christine Resele-Tiden 213
Separation and Quantitation of Dolichyl Esters by High-Performance Liquid Chromatography *Johan Ericsson, Tadeusz Chojnacki, and Gustav Dallner* 222
Nile Red As a Polarity-Sensitive Fluorescent Probe of Hydrophobic Protein Surfaces
Dan L. Sackett and J. Wolff 228
Enzymatic Method for Continuous Monitoring of DNA Polymerase Activity
Pål Nyrén 235
Monoclonal Antibody Immunoprecipitation of Cell Membrane Glycoproteins
Gary A. Peltz, Byron Gallis, and B. Matija Peterlin 239
Determination of Synthesis Rate and Lifetime of Bacterial mRNAs
E. Baracchini and H. Bremer 245
Separation of Optical Isomers of Scopolamine, Cocaine, Homatropine, and Atropine
Daniel W. Armstrong, Soon M. Han, and Yoon I. Han 261

High-Performance Liquid Chromatographic Analysis of Galactosamine, Glucosamine, Glucosaminitol, and Galactosaminitol *Pi-Wan Cheng* 265
Colorimetric Microtiter Plate Assay of Glucose and Fructose by Enzyme-Linked Formazan Production: Applicability to the Measurement of Fructosyl Transferase Activity in Higher Plants *Andrew John Cairns* 270
A Fluorescence Assay for α-1,2-Mannosidases Involved in Glycoprotein Processing Reactions *John S. Schutzbach* 279
Determination of Isoelectric Point Value of 3-Mercaptopyruvate Sulfurtransferase by Isoelectric Focusing Using Ribonuclease A–Glutathione Mixed Disulfides as Standards
Toshihiko Ubuka, Noriyoshi Masuoka, Shigeko Yoshida, and Kazushi Ishino 284
Rapid Isoelectric Focusing in a Vertical Polyacrylamide Minigel System
Eugene F. Robertson, H. Kathleen Dannelly, Peter J. Malloy, and Henry C. Reeves 290
An Improved Method of Sequential Alcian Blue and Ammoniacal Silver Staining of Chondroitin Sulfate Proteoglycan in Polyacrylamide Gels
Richard C. Krueger, Jr., and Nancy B. Schwartz 295
Electrophoresis of Honey: Characterization of Trace Proteins from a Complex Biological Matrix by Silver Staining *Thomas Marshall and Katherine M. Williams* 301
Excretion of Trimethylselenonium Ion in Human Urine
Xiu Fa Sun, Bill T. G. Ting, and Morteza Janghorbani 304
Fluorometric Determination of α-Ketosuccinamic Acid in Rat Tissues
Arthur J. L. Cooper, Stephen P. Raps, and Alton Meister 312
Identification Method for Twelve Oligomannose-Type Sugar Chains Thought to be Processing Intermediates of Glycoproteins
Sumihiro Hase, Shunji Natsuka, Hisashi Oku, and Tokuji Ikenaka 321
A Modified Anthrone–Sulfuric Acid Method for the Determination of Fructose in the Presence of Certain Proteins
Babu Lal Somani, Jaisingh Khanade, and Ramesh Sinha 327
Magnetic Aqueous Two-Phase Separation: A New Technique to Increase Rate of Phase-Separation, Using Dextran–Ferrofluid or Larger Iron Oxide Particles
Per Wikström, Susanne Flygare, Anne Gröndalen, and Per-Olof Larsson 331
Simple Separation of Tritiated Water and [^{3}H]Deoxyuridine from [5-^{3}H]Deoxyuridine 5′-Monophosphate in the Thymidylate Synthase Assay
Yasuko Hashimoto, Taiichi Shiotani, and George Weber 340
Determination of 5-Methylcytosine by Acid Hydrolysis of DNA with Hydrofluoric Acid *J. Catania, B. C. Keenan, G. P. Margison, and D. S. Fairweather* 347
Biochemical Assay of Microtubule Mean Length
Fabienne Pirollet, Didier Job, and Robert L. Margolis 352
Proposal of an Analytical Method for the Study of the Oxidation Products of Membrane Lipids *Marco Vincenzo Piretti, Giampiero Pagliuca, and Marco Vasina* 358
Determination of Intracellular pH of BALB/c-3T3 Cells Using the Fluorescence of Pyranine *Kenneth A. Giuliano and Robert J. Gillies* 362
Ion-Exchange Chromatography of Ionic Detergent-Solubilized Proteins: Application of Purification of Rat Parotid Gland Phosphoproteins Including Ribosomal Protein S6 *Takao Kanamori and Taro Hayakawa* 372
Quantitative Molecular Hybridization with Unfractionated, Solubilized Cells Using RNA Probes and Polyacrylamide Gel Electrophoresis
Gary S. Firestein, Susan M. Gardner, and William D. Roeder 381

described; if an accepted code of practice has been followed, a reference to the relevant standards should be given.

Figures should be numbered consecutively with Arabic numerals in order of mention in the text: each figure should have a descriptive legend. Legends should be typed together on a separate sheet, double-spaced. All illustrations should be in finished form ready for photoreproduction. A convenient size for drawings is $8\frac{1}{2} \times 11$ in. (21×27.5 cm). Drawings should be made with India ink on tracing linen, smooth surface white paper, or Bristol board. Graph paper if used should be ruled in blue. Grid lines that are to show in the final reproduction should be inked in black. Glossy prints properly prepared are acceptable.

Photographs must be kept to a minimum. All photographs should be submitted as single glossy prints with strong contrasts and not mounted on cardboard; the magnification should be indicated by a scale where possible. **Simple histograms should be avoided. A table or a paragraph in the text is preferred.**

Illustrations in color can be accepted only if the authors defray the cost.

Tables should be typed on separate pages, numbered consecutively with Arabic numerals in order of mention in the text. Each table should have a short explanatory title.

Authors may wish to submit complex tables as camera-ready copy. In this way, they are spared tedious proofreading and the chance of error is reduced. Tables submitted as camera-ready copy should be typed single-spaced whenever possible, and preferably submitted as 5×7-in. glossy prints.

Footnotes should be designated in text by superscript numbers and typed on a separate sheet. Footnotes to tables should be identified with lowercase italic superscript letters and placed at the bottom of the table.

References to the literature should be cited in the text by Arabic numerals in parentheses and listed at the end of the paper in consecutive order. Abbreviations of journal titles should follow the style used in *Chemical Abstracts Service Source Index,* 1985. Please note style of capitalization and punctuation for journal articles and edited books in the following examples:

1. Jackson, G. E. D., and Young, N. M. (1987) *Anal. Biochem.* **162,** 251–256.
2. Bovey, F. A., and Jelinski, L. W. (1983) Chain Structure and Conformation of Macromolecules, p. 150, Academic Press, New York.
3. Britton, G. (1985) *in* Methods in Enzymology (Law, J. H., and Rilling, H. C., Eds.), Vol. 111, pp. 113–149, Academic Press, Orlando, FL.

Proofs. Proofs will be sent to the authors with reprint order forms. Fifty reprints of each article are provided free of charge. Additional reprints may be ordered using the form provided.